

## TRIPLE DIPPED PVC GAUNTLET WITH CUT PROTECTION

A flexible, easy-maintenance, triple dipped PVC gauntlet providing effective protection against cuts and chemicals.

### FEATURES

- › Cut resistant: Level B (EN 388:2016)
- › Seals and protects the hand against chemicals while remaining flexible
- › Impermeable for working in damp or greasy environments
- › Fully coated PVC with a rough finish over entire surface provides tactile feel and better grip
- › Greater hygiene
- › Designed for easy movement and continuous wear
- › No irritation by seams in contact with the skin
- › Extended protection on the forearm



### SUITABLE FOR



#### Typical Industries

- Chemical
- Commercial Fishing
- Glass
- Oil and Gas
- Utilities

#### Suitable Applications

- Bottling
- Chemical Spray and Treatment
- Drainage/Piping
- Guttering
- Painting and Spray Workshops
- Plumbing

### CERTIFICATION



See overleaf for explanation

## PRODUCT INFORMATION

MATERIALS	LINER:	Aramid
	COATING:	PVC
COLOUR	Blue	
LENGTH (mm)	300	
CUFF STYLE	Gauntlet	

## ORDERING DETAILS

SIZE	CODE	PACKAGING
8/M	SHOKV6602	10 pairs per bag 120 pairs per case
9/L	SHOKV6603	
10/XL	SHOKV6604	
11/XXL	SHOKV6605	


## RECOMMENDATIONS FOR USE

- USE: Chemical and Cut resistant glove. Not suitable for thermal, electrical protection. Do not use near moving machines if there is a risk of entanglement
- STORAGE: Store in dry conditions in the original packaging and away from direct sunlight
- CLEANING: To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present
- LIFETIME: Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use

## CERTIFICATION LEGENDS



MECHANICAL HAZARDS EN 388:2016 PERFORMANCE LEVELS\*



\*If tests are not performed or are not applicable, 'X' will be placed instead of a number/letter



PROTECTION AGAINST MICRO-ORGANISMS EN 374-5

VIRUS = Glove has passed ISO 16604: 2004 (method B)



RESISTANCE TO CHEMICAL PERMEATION - EN ISO 374:2016

CODE	CHEMICAL	CODE	CHEMICAL	TYPE OF GLOVES	BREAKTHROUGH TIME
A	Methanol	J	n-Heptane	A	≥30 min for at least 6 chemicals
B	Acetone	K	Sodium hydroxide 40%		
C	Acetonitrile	L	Sulphuric acid 96%	B	≥30 min for at least 3 chemicals
D	Dichloromethane	M	65% Nitric acid		
E	Carbon Disulfide	N	99% Acetic acid		
F	Toluene	O	25% Ammonium hydroxide	C	≥10 min for at least 1 chemical
G	Diethylamine	P	30% Hydrogen peroxide		
H	Tetrahydrofuran	S	40% Hydrofluoric acid		
I	Ethyl acetate	T	37% Formaldehyde		

### EUROPE

[www.globusgroup.com](http://www.globusgroup.com)

E: [sales@globus.co.uk](mailto:sales@globus.co.uk)  
T: +44 (0)161 877 4747  
F: +44 (0)161 877 4746

### MIDDLE EAST AND AFRICA

[www.globusgroup.com/gcc](http://www.globusgroup.com/gcc)

E: [gcc@globusgroup.com](mailto:gcc@globusgroup.com)  
T: +971 4 882 9962  
F: +971 4 882 9963

